



## Jining Jinjia Hydraulic Co., Ltd.

2.756 Inch | 70 Millimeter x 2.75 Inch | 69.85  
 Millimeter x 3.74 Inch | 95 Millimeter  
 SEALMASTER SP-214 Pillow Block Bearings



SP-214 Bearing 2D drawings and 3D CAD models

Bearing No. SP-214

|                           |  |
|---------------------------|--|
| Category                  | Pillow Block Bearings  |
| Inventory                 | 0.0  |
| Manufacturer Name         | REGAL BELOIT   |
| Minimum Buy Quantity      | N/A  |
| Weight                    | 11.94  |
| EAN                       | 0662461052716  |
| Product Group             | M06110   |
| Number of Mounting Holes  | 2  |
| Mounting Method           | Set Screw  |
| Housing Style             | 2 Bolt Pillow Block  |
| Rolling Element           | Ball Bearing   |
| Housing Material          | Cast Iron  |
| Expansion / Non-expansion | Non-expansion  |
| Mounting Bolts            | 3/4 Inch   |
| Relubricatable            | Yes  |
| Insert Part Number        | 5214   |
| Seals                     | Felt Labyrinth   |
| Housing Configuration     | 1 Piece Solid  |
| Inch - Metric             | Metric   |
| Other Features            | Single Row   Standard Duty<br>  Has Flinger  |
| Long Description          | 2 Bolt Pillow Block; 70MM Bore; 95MM Base to Center Height; Set Screw Mount; Ball Bearing; 238.125MM Minimum Bolt Spacing; |



## Jining Jinjia Hydraulic Co., Ltd.

|                               |  |
|-------------------------------|--|
|                               | 269.875MM Bolt Spacing<br>Maximum; Relubricatable;<br>Cast Iron; Felt Labyrinth;<br>No |
| Category                      | Pillow Block   |
| UNSPSC                        | 31171511   |
| Harmonized Tariff Code        | 8483.20.40.40  |
| Noun                          | Bearing  |
| Keyword String                | Pillow Block   |
| Manufacturer URL              | <a href="http://www.emerson-ept.com">http://www.emerson-ept.com</a>                    |
| Manufacturer Item Number      | SP-214   |
| Manufacturer Internal Number  | 710043   |
| Weight / LBS                  | 26.3   |
| Actual Bolt Center to Center  | 0 Inch   0Millimeter   |
| Nominal Bolt Center to Center | 10 Inch   254 Millimeter   |
| Bolt Spacing Minimum          | 9.375 Inch  <br>238.125Millimeter  |
| B                             | 3.74 Inch   95 Millimeter  |
| Bolt Spacing Maximum          | 10.625 Inch  <br>269.875Millimeter   |
| d                             | 2.756 Inch   70 Millimeter   |
| D                             | 2.75 Inch   69.85 Millimeter   |